



MATERIAL SAFETY DATA SHEET

I. PRODUCT & COMPANY IDENTIFICATION

Product Name: Banana Boat® *UltraMist*® UVA/UVB Sunblock SPF 30
Product Code(s): 7710
Product Type: Sunscreen

Supplier Address: Playtex Manufacturing Inc.
6 Research Dr.
Shelton, CT 06484
USA
Phone: 888-999-6736
Emergency Phone: 888-879-3798

Company Emergency Phone Number: 1-888-879-3798 (Medical Emergency)
1-800-424-9300 (24 hrs. Transportation Information or Spills)
1-703-527-3887 (International Transportation Information or Spills)

II. HAZARDS IDENTIFICATION

Appearance Light, Medium yellow **Physical State** Liquid, (BOV) **Odor** Characteristic

Emergency Overview

FLAMMABLE LIQUID
Flammable Aerosol
May cause eye irritation
Compressed Air

Potential Health Effects: None
Principle Routes of Exposure: Skin contact.

Acute Toxicity

Eyes: May cause irritation.
Skin: Does not pose a potential of skin irritation and sensitization.
Inhalation: No known effect.
Ingestion: No known effect. Ingestion may cause irritation to mucous membranes.

Chronic Effects No known effect.

Aggravated Medical Conditions None known.
Environmental Hazard See Section 12 for additional Ecological Information

III. COMPOSITION INFORMATION

| Chemical Name | CAS Number | Weight % |
|---------------|------------|----------|
| Ethanol | 64-17-5 | 55-65% |

IV. FIRST AID MEASURES

| | |
|----------------------------|--|
| Eye Contact: | Rinse thoroughly with plenty of water, also under the eyelids. If irritation persists, call a physician. |
| Skin Contact: | None under normal use |
| Inhalation: | None under normal use |
| Ingestion: | Rinse mouth with water and afterwards drink plenty of water or milk |
| Notes to Physician: | Treat symptomatically. |

V. FIRE-FIGHTING MEASURES

| | |
|--|--|
| Uniform Fire Code: | Aerosol Level 2 |
| Flash Point: | 12°C / 53.6°F |
| Flashback: | 0" |
| Flame Projection: | 33" |
| Suitable Extinguishing Media: | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Sensitivity to Static Discharge: | Yes. |
| Protective Equipment and Precautions for Firefighters | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. |

NFPA: Health Hazard 1 **Flammability** 3 **Stability** 0 **Physical and Chemical Hazards** –

VI. ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------------|--|
| Personal Precautions: | Avoid contact with eyes. |
| Environmental Precautions: | Refer to protective measures listed in Sections 7 and 8. |
| Methods for Containment: | Prevent further leakage or spillage if safe to do so. |
| Methods for Cleaning Up: | Keep in suitable and closed containers for disposal |

VII. HANDLING & STORAGE

| | |
|------------------|---|
| Handling: | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes. Do not puncture or incinerate cans. |
| Storage: | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. |

VIII. EXPOSURE CONTROLS & PERSONAL PROTECTION

Exposure Guidelines:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------|---------------|--|--|
| Ethanol 64-17-5 | TWA: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ | IDLH: 3300 ppm TWA: 1900 mg/m ³ TWA: 1000 ppm |

Engineering Measures: Showers, eyewash stations, and ventilation systems.

Personal Protective Equipment

Eye/Face Protection: No special protective equipment required.

Skin and Body Protection: No special protective equipment required.

Respiratory Protection: No protective equipment is needed under normal use conditions

Hygiene Measures: Handle in accordance with good industrial hygiene and safety practice.

IX. PHYSICAL & CHEMICAL PROPERTIES

| | | | |
|---|--------------------------------|-----------------------------|------------------------|
| Physical State: | Liquid., Aerosol, Bag-on-valve | Odor: | Characteristic |
| Appearance: | Light, Medium yellow | Boiling Point/Range: | No data available |
| pH: | Not applicable | Specific Gravity: | 0.836 - 0.890 |
| Flash Point: | 12°C / 53.6°F | VOC Content(%): | Available upon request |
| Melting Point/Range: | No data available | | |
| Solubility: | No data available | | |
| Partition Coefficient: n-octanol/water | No data available | | |

X. STABILITY & REACTIVITY

| | |
|--|--|
| Stability: | Stable |
| Incompatible Products: | None known. |
| Conditions to Avoid: | Heat, flames and sparks. |
| Hazardous Decomposition Products: | None known |
| Hazardous Polymerization: | Hazardous polymerization does not occur. |

XI. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information: Product is safe for its intended use based on the formulation, testing results, and the long history of safe consumer use.

Chronic Toxicity

Chronic Toxicity: No known effect.

Target Organ Effects: None known.

XII. ECOLOGICAL INFORMATION

Ecotoxicity: The environmental impact of this product has not been fully investigated.

XIII. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated Packaging: Dispose of in accordance with local regulations..

US EPA Waste Number: D001

XIV. TRANSPORTATION INFORMATION

DOT

Proper Shipping Name Consumer commodity
Hazard Class ORM-D
Description Consumer commodity, ORM-D
Emergency Response Guide Number 126

TDG

Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
UN-No UN1950
PG NA
Description AEROSOLS, 2.1, UN1950

MEX

Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
UN-No UN1950
PG NA
Description UN1950 Aerosols, 2.1

ICAO

UN-No UN1950
Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
PG NA
Description Aerosols, UN1950

IATA

UN-No UN1950
Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
ERG Code 10L
PG NA
Description UN1950, Aerosols, Flammable, 2.1

IMDG/IMO

Proper Shipping Name Aerosols, Flammable
Hazard Class 2.1
UN-No UN1950
PG NA
EmS No. F-D, S-U
Vessel Stowage A
Description UN1950, Aerosols,2.1



RID

Proper Shipping Name Aerosols, Flammable
Hazard Class 2
UN-No UN1950
PG NA
Classification Code 5A
Description UN1950 Aerosols, 2, RID
ADR/RID-Labels 2

ADR

Proper Shipping Name Aerosols, Flammable
Hazard Class 2
UN-No UN1950
PG NA
Classification Code 5A
Description UN1950 Aerosols, 2, ADR
ADR/RID-Labels 2

ADN

Proper Shipping Name Aerosols, Flammable
Hazard Class 2
PG NA
Classification Code 5A
Special Provisions 63, 190, 191, 277, 913
Description UN1950 Aerosols, 2
Hazard Labels 2
Limited Quantity See SP277

XV. REGULATORY INFORMATION

U.S. Regulations**SARA 311/312 Hazard Categories**

| | |
|--|---|
| Acute Health Hazard | No |
| Chronic Health Hazard | No |
| Fire Hazard | Yes |
| Sudden Release of Pressure Hazard | Yes |
| Reactive Hazard | No |
| California Proposition 65 | This product does not contain any Proposition 65 chemicals. |

International Regulations

Mexico - Grade Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the

MSDS contains all the information required by the CPR.

WHMIS Hazard Class

A Compressed gases
 B5 Flammable aerosol
 B2 Flammable liquid

**International Inventories**

TSCA Exempt
DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

XVI. OTHER INFORMATION

| | |
|----------------------|--|
| Prepared By | Global Regulatory Affairs/Product Safety 75 Commerce Dr. Allendale, NJ 07401 USA |
| Issuing Date | 5-Apr-10 |
| Revision Date | N/A |
| Revision Note | N/A |

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The Information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.